



Heat sinks (mainly made by aluminum or copper) is a kind of metal contain high thermal dissipation ability, light weight and easy for machining. It is one of the popular heat dissipation products and can stick on the surface of heat source. How to increase the thermal conductivity and heat dissipation surface in order to increase the product's heat dissipation efficiency challenging. Stamping, extrusion, die casting and forging are the way of producing heat sinks. These products can be the main components of heat dissipation and/or their structured shell for various applications.


► The specifications are all in width × length × height ► These are regular sizes

**TGH-0075-01**


7.5×7.5×10mm	1g
Wash	AL6063

**TGH-0100-01**


10×10×9.5mm	1.5g
Anodizing aluminum color	AL6063

**TGH-0124-01**


12.4×12.4×13mm	3g
Anodizing black	AL6063

**TGH-0130-01**


13×13×6mm	2g
Anodizing aluminum color / Black	AL6063

**TGH-0130-02**


13×13×9.1mm	2g
Anodizing black	AL6063

**TGH-0130-03**


13×35×6mm	4g
Anodizing black	AL6063

**TGH-0132-01**


13.2×19×9.65mm	1.5g
Anodizing black	AL1050

**TGH-0164-01**


16.4×16×10mm	3g
Anodizing black	AL6063

**TGH-0170-01**


17×17×9.5mm	3g
Anodizing black	AL6063

**TGH-0190-01**

19.05×19.05×5.08mm	3g
Anodizing black	AL6063

**TGH-0200-02**

20×20×6mm	4g
Anodizing black	AL6063

**TGH-0200-03**

19.7×20×9.5mm	4g
Anodizing aluminum color	AL6063

T-Global USA LLC

2880 Zanker Road, Suite 103, San Jose, CA 95134, USA

T +1(669)345-0002 E usa@tglobalcorp.com W tglobal-usa.com














Version20
20250211



NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper do not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented with out guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.

► The specifications are all in width × length × height

► These are regular sizes

**T-Global USA LLC**

2880 Zanker Road, Suite 103, San Jose, CA 95134, USA

T +1(669)345-0002

E usa@tglobalcorp.com


W tglobal-usa.com

Version20
20250211


NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper do not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented with out guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.

► The specifications are all in width × length × height


► These are regular sizes

**TGH-0350-04**


35×35×20mm	30g
Anodizing black	AL6063

**TGH-0380-01**


38×20×9mm	10g
Wash	AL6063

**TGH-0380-03**


38×38×9mm	19g
Anodizing black	AL6063

**TGH-0380-05**


38×38×15mm	19g
Anodizing black	AL6063

**TGH-0400-01**


40×40×10mm	24g
Anodizing black	AL6063

**TGH-0400-03**


40×40×11mm	17g
Anodizing black	AL6063

**TGH-0400-04**


40×40×20mm	26g
Anodizing black	AL6063

**TGH-0450-01**


45×45×10mm	27g
Anodizing black	AL6063

**TGH-0500-01**


50×50×17mm	56g
Anodizing aluminum color / Black	AL6063

**TGH-0510-01**


51×35×5mm	17g
Anodizing black	AL6063

**TGH-0510-02**


51×100×20mm	113g
Anodizing aluminum color / Black	AL6063

**TGH-0522-01**


52.2×52.2×23mm	74g
Anodizing aluminum color	AL6063

**TGH-0550-01**


55×55×6mm	32g
Anodizing aluminum color	AL6063

**TGH-0610-01**

61×61×12.7mm	67g
Anodizing aluminum color	AL6063

**TGH-0955-01**

95.5×95×14.3mm	134g
Anodizing black	AL6063

**TGH-1535-01**

153.5×150×34mm	906g
Anodizing aluminum color	AL6063

T-Global USA LLC

2880 Zanker Road, Suite 103, San Jose, CA 95134, USA

T +1(669)345-0002 E usa@tglobalcorp.com W tglobal-usa.com

Version20
20250211

NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper do not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented with out guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.